

Supplementary Materials: Thermoregulated Coacervation, Metal-Encapsulation and Nanoparticle Synthesis in Novel Triazine Dendrimers

Fermín Ramírez-Crescencio, Alan E. Enciso, Mirza Hasan, Viviana C. P. da Costa, Onofrio Annunziata, Rocío Redón, Jeffrey L. Coffer and Eric E. Simanek




Figure S1. ¹H-NMR Spectrum of 7 (400 MHz, CDCl₃).




Figure S2. ¹³C-NMR Spectrum of 7 (100 MHz, CDCl₃).




Figure S3. MALDI-TOF analysis of 7 in THAP matrix.




Figure S4. ¹H-NMR Spectrum of **1** (400 MHz, D₂O).




Figure S5. ¹³C-NMR Spectrum of **1** (100 MHz, D₂O).




Figure S6. MALDI-TOF analysis of **1** in THAP matrix.




Figure S7. ¹H-NMR Spectrum of **2** (400 MHz, D₂O).




Figure S8. ^{13}C -NMR Spectrum of **2** (100 MHz, D_2O).




Figure S9. MALDI-TOF analysis of **2** in sinapic acid matrix.




Figure S10. ¹H-NMR Spectrum of 3 (400 MHz, D₂O).




Figure S11. ^{13}C -NMR Spectrum of 3 (100 MHz, D_2O).




Figure S12. MALDI-TOF analysis of **3** in sinapic acid matrix.




Figure S13. ¹H-NMR Spectrum of 4 (400 MHz, D₂O).




Figure S14. ¹³C-NMR Spectrum of **4** (100 MHz, D₂O).